



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____
LOG A-0374

Dec 6 8 09 AM '99

-- 2665

FILE: 6446.6
LIBRARY _____

George V. Voinovich
Governor

December 3, 1999

Mr. Johnny Reising
U.S. DOE FEMP
P.O. Box 398705
Cincinnati, OH 45329-8705

**RE: APPROVAL - RESPONSE TO COMMENTS ON PSP FOR 3A/4A SUBSURFACE
PREDESIGN INVESTIGATION**

Dear Mr. Reising:

Ohio EPA has reviewed DOE's November 1, 1999 submittal on the "Responses to Ohio Environmental Protection Agency comments on the Project Specific Plan for Area 3A/4A Subsurface Predesign Investigation". Ohio EPA approves these responses.

If you should have any questions, please contact Michelle Waller or me

Sincerely,

Michelle Waller
for

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric U.S. EPA
Terry Hagen, Fluor Daniel Fernald
Ruth Vandegrift, ODH
Francis Hodge, Tetrattech
Mark Schupe, HSI Geotrans
Manager TPSS, DERR



1